

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020049912".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:34
L2	2	"20030101113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 10:34
S1	14	"6157954".pn. "6269369".pn. "6175741".pn. "5732229".pn. "6055512".pn. "6205478".pn. "5915001".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:55
S2	3	guan.in. and 709/203.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 08:52
S3	7	dipankar.in. and ray.in. and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 15:59
S4	264	forward\$3 near3 request\$3 with authentica\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 08:53
S5	231	forward\$3 near2 request\$3 with authentica\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 08:53
S6	69	forward\$3 near2 request\$3 with authentica\$3 same (provid\$3 or send\$3) with request\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 08:54

S7	8	forward\$3 near2 request\$3 with authenticat\$3 same (provid\$3 or send\$3 or transfer\$2 or send\$3) with requested and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:37
S8	2	"6463474".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:40
S9	154	authentication adj server same (data or information) near2 request\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:45
S10	34	authentication adj server same (provid\$3 or send\$3 or transmit\$4) near3 (data or information) near2 request\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 09:56
S11	102	authentica\$3 near2 (approval or validat\$3) same (provid\$3 or send\$3 or transmit\$4) with request\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:00
S12	26	authentica\$3 near2 (approval or validat\$3) same (provid\$3 or send\$3 or transmit\$4) with request\$3 near3 (data or information) and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:07
S13	2	"20030005136".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:20
S14	136	(provid\$3 or send\$3 or transmit\$4) near3 requested near3 (data or information or database adj2 (entry or record)) same authentica\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:22

S15	15	(provid\$3 or send\$3 or transmit\$4) near3 requested near3 (data or information or database adj2 (entry or record)) same authenticat\$3 near2 (approval or request) and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 10:44
S16	2	"20020004399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:08
S17	8	charles near2 feltner.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:11
S18	41	john near2 curtin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:12
S19	19315	ericsson.asn. and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:13
S20	2	"20030212800".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:28
S21	2	"20020107793".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:29
S22	19	provid\$3 with "without" near2 decrypt\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:30

S23	103	(provid\$3 or send\$3 or transmit\$4) with "without" near2 decrypt\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:30
S24	7	(provid\$3 or send\$3 or transmit\$4) with "without" near2 decrypt\$3 same authenticat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:32
S25	25	(provid\$3 or send\$3 or transmit\$4) with "without" near2 decrypting and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:41
S26	417	713/155.ccls. and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 11:42
S27	205	S26 and authenticat\$3 same (provid\$3 or transfer\$4 or transmit\$4 or send\$4) with (information or data or requested)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 09:12
S28	8	"5706427".pn. "5535276".pn. "5491752".pn. "5278904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 10:22
S30	26	(send\$3 or transmit\$4 or transfer\$4 or provid\$3) near3 encrypted with "without" near3 decrypt\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:57
S31	1033	"without" near3 decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:22

S32	169	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) with "without" near3 decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:26
S33	45	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) with "without" adj decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:36
S34	1477	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) near2 encrypted adj (data or information or record\$2) and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:40
S35	205	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) near2 encrypted adj (data or information or record\$2) same authenticat\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:37
S36	11	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) near2 encrypted adj (data or information or record\$2) same authenticat\$3 same encrypt\$3 with (data or information or record\$2) near2 stored and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:40
S37	205	(sent or send\$3 or transmit\$4 or transfer\$4 or provid\$3) near2 encrypted adj (data or information or record\$2) same authenticat\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:40
S38	1033	"without" near3 decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:57
S39	303	"without" adj decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:58

S40	45	(sent or send\$3 or transmit\$4 or provid\$4 or transfer\$4) with "without" adj decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 11:59
S41	42	(sent or send\$3 or transmit\$4 or provided or providing or transfer\$4) with "without" adj decrypt\$3 and @ad<"20011218" not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:34
S42	2	"6728379".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:34
S43	2	"5841970".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:46
S44	18	authentikat\$3 with provid\$3 adj key and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:53
S45	12	authentikat\$3 with (provides or provide or providing) adj key and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:53
S46	0	"20020049636".pn. and authentikat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:56
S47	2	"20020049636".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:57

S48	359	key with after near2 authenticat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 12:58
S49	66	(receiv\$3 or send\$3 or sent or transfer\$4 or transmit\$4) near2 key with after near2 authenticat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:12
S50	0	"5841970".pn. and (mobile or laptop or portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:13
S51	850	laptop with wireless with mobile and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:15
S52	39	laptop near2 wireless near2 mobile and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:25
S53	139	mobile adj server and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:26
S54	3	mobile adj server with authenticat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:31
S55	2	"20030112977".pn. and mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:31

S56	2	"20030112977".pn. and mobile with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:39
S57	0	"20030112977".pn. and time-out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:40
S58	1	"20030112977".pn. and time adj out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:40
S59	931	key with expiration and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:42
S60	259	key near2 expiration and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 13:42
S61	85	key near2 expiration adj date and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:38
S63	1821	authenticat\$3 with updat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:44
S64	28	authenticat\$3 with allow\$3 near2 updat\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:57

S65	14	after adj authenticat\$3 near5 updat\$3 and @ad<"20011218" not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:51
S66	667	transmit\$4 with session adj key and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:58
S67	1007	(send\$3 or transmit\$4 or transfer\$4) with session adj key and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 16:59
S68	168	session adj key near2 includ\$3 and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:03
S69	31	session adj key near2 includ\$3 with request and @ad<"20011218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:14
S70	2	"6892307".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 17:14